AUTHOR INDEX, VOLUME 8

Akana, Y.: see Kimura, A.
Aklonis, J. J.: see Kelchner, R. E.
Asada, T.: see Fukui, Y.
—: see Onogi, S.
Baird, M. E.: Nature of DC Conductivity in Polyamides, 739
Baranov, V. G. and Gasparyan, K. A.: Relation of Initial Supermolecular Organization in Crystalline Polymer Systems to the Organization Produced by Stretching, 1015
Bauwens, J. C.: Yield Condition and Propagation of Lüders' Lines in Tension-Torsion Experiments on Poly(vinyl Chloride), 893
Bell, J. P.: Structure of a Typical Amine-Cured Epoxy Resin, 417
—: see Murayama, T.
Berry, G. and Rumon, K.: Dilute Solution Studies of Pyrrone Prepolymers, 2089
Billmeyer, Jr., F. W.: see Hobbs, S. Y.
Binks, A. E., Campbell, A. G., and Sharples, A.: Photocurrents in Simple Polymer Systems, 529
Birshtein, T. M., Zubkov, V. A., and Volkenstein, M. V.: Conformational Characteristics of Polymorphous Optically Active Macromolecules: A Statistical Zigzag Model, 177
Booth, C., Devoy, C. J., Dodgson, D. V., and Hillier, I. H.: Multiple Melting Transitions in Fractions of Partially Isotactic Poly(Propylene Oxide), 519
Bourland, L.: see Devoy, C.
Boustead, I.: Thermoluminescence in Hydrocarbon Polymers, 143
Bowles, W. A.: see Mendelson, R. A.
Bricman, G.: see Jaffé, J.
Bruenner, R. S.: see Oberth, A. E.
Buchs, R. R., Klimisch, H. M., and Johannson, O. K.: Dilute Solution Parameters of Polymethylphenylsiloxamers, 541
Campbell, A. G.: see Binks, A. E.
Casper, R. H. and Schulz, G. V.: Phase-Distribution Chromatography (PDC) of Polystyrene, 833
Chapman, F. W.: see Michel, R. E.
Chartoff, R. P. and Maxwell, B.: Viscoelastic Properties of Branched Polyethylene Melts, 455
Chu, W. and Stein, R. S.: Effect of Birefringence on Low-Angle Light-Scattering Patterns from Oriented Polymer Films. II, 489
—: see Stein, R. S.
Clarke, P. T. and Dean, G. D.: Crystallographic Constants for Nonadecan-10-one, 1413
Clark-Monks, C. and Ellis, B.: Broad-line NMR Studies of Molecular Motion in an Uncured Epoxy Resin, 2203
Cohn-Ginsberg, E.: see Weiss, A. R.
Coll, H. and Gilding, D. K.: Universal Calibration in GPC: A Study of Polystyrene, Poly-α-Methylstyrene, and Polypropylene, 89
Connor, T. M.: Nuclear Relaxation in Atactic Polystyrenes: T_1 and $T_{1\rho}$ Measurements, 191
Cottrell, F. R., Merrill, E. W., and Smith, K. A.: Intrinsic Viscosity and Axial Extension Ratio of Random-Coiling Macromolecules in a Hydrodynamic Shear Field, 289
Cozzens, R. F. and Harvey, A. B.: Spectroscopic Study of the Formation and Structure of Polyselenacyclobutane, 1279
Crystal, R.: Polymeric Nature of Selenium Crystallization. II. Crystallization Kinetics and Secondary Crystallization, 2153
Cuniberti, C.: Proton Magnetic Relaxation Times and Molecular Motions in Polydimethylsiloxane, 2051
Date, M., Takashita, S., and Fukada, E.: Temperature Variation of Piezoelectric Moduli in Oriented Poly(γ-methyl L-Glutamate), 61
Davis, T.: see Nealy, D.
Dean, G. D.: see Clarke, P. T.
Delatycki, O.: see Williams, J. G.
Devoy, C., Mandelkern, L., and Bourland, L.: Crystallization Kinetics of Dilute Polyethylene Solutions, 869
Devoy, C. J.: see Booth, C.
Dishon, M., Weiss, G., and Yphantis, D.: Numerical Solutions of the Lamm Equation VI. Effects of Hydrostatic Pressure on Velocity Sedimentation of Two-Component Systems, 2163
Dodgson, D. V.: see Booth, C.
Drott, E. E. and Mendelson, R. A.: Determination of Polymer Branching with Gel-Permeation Chromatography. I. Theory, 1361
Dunion, P. F.: see Tordella, J. P.
Ellis, B.: see Clark-Monks, C.
Endo, H. and Nagasawa, M.: Normal Stress and Shear Stress in a Viscoelastic Liquid under Oscillatory Shear Flow, 371
Ferry, J. D.: see Wong, C.-P.
Fikhman, V. D.: see Vinogradov, G. V.
Finger, F. L.: see Mendelson, R. A.
Frisch, H. L.: see Klempner, D.
Frisch, K. C.: see Klempner, D.

Fujiki, T., Saito, M., Uemura, M., and Kosaka, Y.: On the Secondary Dispersion Due to Motion of Chain Branches in Ethylene Polymers, 153
Fukada, E.: see Date, M.
Fukui, Y., Sato, T., Ushirokawa, M., Asada, T., and Onogi, S.: Rheo-Optical Studies of High Polymers. XVII. Time-Temperature Superposition of Time-Dependent Birefringence for High-Density Polyethylene, 1195
—: see Onogi, S.
Gasparyan, K. A.: see Baranov, V. G.
Gehatia, M. and Wiff, D.: Solution of Fujita's Equation for Equilibrium Sedimentation by Applying Tikhonov's Regularizing Functions, 2039
Gilding, D. K.: see Coll, H.
Goedhart, D. and Opschoor, A.: Polymer Characterization by Coupling Gel-Permeation Chromatography and Automatic Viscometry, 1227
Gruver, J. T.: see Kraus, G.
Harvey, A. B.: see Cozzens, R. F.
Hasegawa, M.: see Kanetsuna, H.
Hasegawa, R., Tanabe, Y., Kobayashi, M., Tadokoro, H., Sawaoka, A., and Kawai, N.: Structural Studies of Pressure-Crystallized Polymers. I. Heat Treatment of Oriented Polymers under High Pressure, 1073
Hashimoto, T. and Stein, R. S.: Scattering of Light by Films Having Non-random Orientation Fluctuations. II, 1127
Hatakeyama, T.: see Kanetsuna, H.
Heller, J.: see Pasternak, R. A.
Heuvel, H. M. and Lind, K.C.J.B.: ESR Study of the Initial Reaction of the Photodegradation of Nylon 6, 401
Hibi, S.: see Maeda, M.
Hillier, I. H.: see Booth, C.
Hirata, H.: see Kimura, A.
Hobbs, S. Y. and Billmeyer, Jr., F. W.: Heats and Entropies of Fusion of Linear Aliphatic Polyesters. I. Experimental Determinations, 1387
—: and Billmeyer, Jr., F. W.: Heats and Entropies of Fusion of Linear Aliphatic Polyesters. II. Molecular Origins, 1395
Hoffman, H.: Cleavage of Branched Polyethylene by Chemical Filling, 2177
Horsma, D. A.: Measurements of the Relaxation Spectra of Unplasticized Poly(vinyl Chloride) Melts, 979
Huber, H. F. and Thies, C.: Adsorption of Toluene-Soluble Polymers at the Toluene-Water Interface, 71
Hukuda, K., Nakahara, M., and Kusumoto, N.: ESR Studies on Gamma-Irradiated $(KPO_3)_n$ Crystals, 447
Hull, D.: see Murray, J.
Isayev, A. I.: see Vinogradov, G. V.
Ishikawa, K.: see Maeda, M.
Itoh, F.: see Maeda, M.
Jaffé, J., Ruysschaert, J. M., et Bricman, G.: Contribution a l'étude de l'ionisation des films insolubles de polyélectrolytes stéréoréguliers, 817
Johannson, O. K.: see Buchs, R. R.
Joshi, R. M.: Thermodynamic Properties of Some Monomeric Compounds in the Standard Ideal Gas State, 679
Kagiyama, M.: see Nomura, S.
Kakutani, H.: Dielectric Absorption in Oriented Poly(Vinylidene Fluoride), 1177
Kanetsuna, H., Hasegawa, M., Mitsuhashi, S., Kurita, T., Sasaki, K., Maeda, K., Obata, H., and Hatakeyama, T.: Structure and Properties of Poly-2,5-distyrylpyrazine, 1027
Kasai, N.: see Kimura, A.
Kashiwabara, H.: see Shimada, S.
Kavesh, S. and Schultz, J. K.: Lamellar and Interlamellar Structure in Melt-Crystallized Polyethylene. I. Degree of Crystallinity, Atomic Position, Particle Size, and Lattice Disorder of the First and Second Kinds, 243
Kawabata, S.: see Obata, Y.
Kawaguchi, T.: see Maeda, M.
Kawai, H.: see Nomura, S.
—: see Maeda, M.
—: see Motegi, M.
—: see Obata, Y.
—: see Picot, C.
Kawai, N.: see Hasegawa, R.
Kelchner, R. E. and Aklonis, J. J.: Viscoelastic Behavior of Polyvinylcyclohexane, 799
Keller, A. and Udagawa, Y.: Preparation of Long-Chain Paraffins from Nitric Acid Degradation Products of Polyethylene; Some Consequences for Polymer Crystal Structure Studies, 19
—: see Williams, T.
Kibler, C.: see Nealy, D.
Kimura, A., Yoshimoto, S., Akana, Y., Hirata, H., Kusabayashi, S., Mikawa, H., and Kasai, N.: Crystallinity of Poly-*N*-vinylcarbazole, 643
Kimura, I.: see Nomura, S.
Kitamaru, R. and Mandelkern, L.: Unit-Cell Dimensions of Bulk- and Solution-Crystallized Linear Polyethylene, 2079
Kleintjens, L. A.: see Koningsveld, R.
Klempner, D., Frisch, H. L., and Frisch, K. C.: Topologically Interpenetrating Elastomeric Networks, 921
Klimisch, H. M.: see Buchs, R. R.
Kobayashi, M.: see Hasegawa, R.
Kodama, K.: see Miyamoto, T.
Koningsveld, R., Kleintjens, L. A., and Shultz, A. R.: Liquid-Liquid Phase Separation in Multicomponent Polymer Solutions. IX. Concentration-Dependent Pair Interaction Parameter from Critical Miscibility Data on the System Polystyrene-Cyclohexane, 1261
Kosaka, Y.: see Fujiki, T.
Kraus, G. and Gruver, J. T.: Effect of Diluents on the Melt Viscosity of Branched Polybutadienes, 305

—: Thermal Expansion, Free Volume, and Molecular Mobility in a Carbon Black-Filled Elastomer, 571
Krigbaum, W. R. and O'Mara, J. H.: Thermodynamic Melting Temperature of *trans*-Polychloroprene, 1011
Kulichikhin, V. G.: see Vinogradov, G. V.
Kurita, T.: see Kanetsuna, H.
Kurz, J. E., Woodbrey, J. C., and Ohta, M.: Dynamic Mechanical Relaxation Effects in Some Poly(arylene sulfones), 1169
Kusabayashi, S.: see Kimura, A.
Kusumoto, N.: see Hukuda, K.
Lee, D. A.: On the Determination of Molecular Weight Distributions from Sedimentation-Diffusion Equilibrium Data at a Single Rotor Speed, 1039
Lee, W. A.: Calculation of the Glass Transition Temperatures of Polymers. Part I. Homopolymers and Copolymers with Alkyl Side Chains, 555
Lind, K.C.J.B.: see Heuvel, H. M.
Litt, M.: Molecular Weights in Polymerization as a Function of Conversion, 2105
Lovering, E. G.: Effect of Temperature and Molecular Weight on the Bulk Crystallization Rates of *trans*-1,4 Polyisoprene, 2197
Lovrić, L.: Molecular Weight Distribution Functions for Styrene-Acrylonitrile Copolymers, 807
MacKnight, W. J.: see Phillips, P. J.
—: see Sakamoto, K.
Maeda, K.: see Kanetsuna, H.
Maeda, M., Hibi, S., Itoh, F., Nomura, S., Kawaguchi, T., and Kawai, H.: General Description of Mechanical Anisotropy of Semicrystalline Polymers in Relation to Orientation of Structural Units Composed of Crystalline and Noncrystalline Materials, 1303
—, Miyasaka, K. and Ishikawa, K.: Properties and Structures of Films Drawn from Polyethylene Single-Crystal Mats, 355
Malkin, A. Ya.: see Vinogradov, G. V.
Mandelkern, L.: see Devoy, C.
—: see Kitamaru, R.
—: see Rijke, A. M.
—: see Theil, M. M.
Manley, R. St. John: see Pelzbauer, Z.
Maxwell, B.: see Chartoff, R. P.
McGraw, G. E.: Study of Molecular Orientation in Poly(ethylene terephthalate) Fibers by Fluorescence Polarization, 1323
Mendelson, R. A., Bowles, W. A., and Finger, F. L.: Effect of Molecular Structure on Polyethylene Melt Rheology. I. Low-Shear Behavior, 105
—, Bowles, W. A., and Finger, F. L.: Effect of Molecular Structure on Polyethylene Melt Rheology. II. Shear-Dependent Viscosity, 127
—: see Drott, E. E.
Merrill, E. W.: see Cottrell, F. R.
Michel, R. E. and Chapman, F. W.: ESR and Electrical Conduction in Polypropiolamide, 1159
Mijnlieff, P. F.: see Silberberg, A.
Mikawa, H.: see Kimura, A.
Mitsuhashi, S.: see Kanetsuna, H.
Miyake, Y.: see Nakata, M.
Miyamoto, T., Kodama, K., and Shibayama, K.: Structure and Properties of a Styrene-Butadiene-Styrene Block Copolymer, 2095
Miyasaka, K.: see Maeda, M.
Model, F. S. and Rochow, E. G.: Internal Motion in Organosilicon Polymers. II. Dimethylpolysilazanes Crosslinked through Silicon, 999
Motegi, M., Moritani, M., and Kawai, H.: Effect of Birefringence on Light Scattering from Deformed Spherulitic Polymer Films, 499
Motego, M.: see Picot, C.
Moritani, M.: see Motegi, M.
Murayama, T. and Bell, J. P.: Relation between the Network Structure and Dynamic Mechanical Properties of a Typical Amine-Cured Epoxy Polymer, 437
Murray, J. and Hull, D.: Fracture Surface of Polystyrene: Mackerel Pattern, 583
Nagasawa, M.: see Endo, H.
Nakahara, M.: see Hukuda, K.
Nakata, M., Miyake, Y., and Yamasaki, H.: Comments on Light-Scattering Measurements, 513
Nealy, D., Davis, T., and Kibler, C.: Thermal History and Melting Behavior of Poly(ethylene Terephthalate), 2141
Nomura, S., Kawai, H., Kimura, I., and Kagiyama, M.: General Description of Orientation Factors in Terms of Expansion of Orientation Distribution Function in a Series of Spherical Harmonics, 383
—: see Maeda, M.
Obata, H.: see Kanetsuna, H.
Obata, Y., Kawabata, S., and Kawai, H.: Mechanical Properties of Natural Rubber Vulcanizates in Finite Deformation, 903
Oberth, A. E. and Bruenner, R. S.: Tensile Properties and Equilibrium Swelling of Plasticized Amorphous Polyurethane Rubbers, 605
Ofran, M. and Weinreb, A.: Structural Changes in Polystyrene Films and Corresponding Changes in Their Fluorescence Spectra, 161
Ohta, M.: see Kurz, J. E.
Okamoto, H.: Thermal Analysis of the Effects of Annealing on Low-Density Polyethylene, 311
Olf, H. G. and Peterlin, A.: NMR Study of Molecular Motion in Oriented Long-Chain Alkanes. I. Theoretical Part, 753
—: and Peterlin, A.: NMR Study of Molecular Motion in Oriented Long-

Chain Alkanes. II. Oriented Mats of Polyethylene Single Crystals, 771
—: and Peterlin, A.: NMR Study of Molecular Motion in Oriented Long-Chain Alkanes. III. Oriented n-$C_{32}H_{66}$, 791
O'Mara, J. H.: see Krigbaum, W. R.
Onogi, S., Sato, T., Asada, T., and Fukui, Y.: Rheo-Optical Studies of High Polymers. XVIII. Significance of the Vertical Shift in the Time-Temperature Superposition of Rheo-Optical and Viscoelastic Properties, 1211
—: see Fukui, T.
Opschoor, A.: see Goedhart, D.
Pasternak, R. A., Schimscheimer, J. F., and Heller, J.: A Dynamic Approach to Diffusion and Permeation Measurements, 467
Patel, G. N. and Patel, R. D.: Single Crystals of High Polymers by Film Formation, 47
Patel, R. D.: see Patel, G. N.
Peebles, Jr., L. H.: Molecular Weight Distribution for Diactive Polymers Formed by Instantaneous Initiation, Transfer to Monomer, and No Termination, 1235
Pelzbauer, Z. and Manley, R. St. John: Multiple Melting in Isotactic Polystyrene, 649
Peterlin, A.: see Olf, H. G.
Petropoulos, J. H. and Roussis, P. P.: Determination of Solubility Coefficients from Diffusion Time Lags, 1411
Phillips, P. J. and MacKnight, W. J.: Dielectric Relaxation in Ethylene-Methacrylic Acid Copolymers and Their Salts, 727
Picot, C., Stein, R., Motego, M., and Kawai, H.: Small-Angle Light Scattering by Random Assemblies of Incomplete Spherulites. I. Sheaflike Textures, 2115
—: see Stein, R.
Pittman, R. A. and Tripp, V. W.: Wide-Line Proton Magnetic Resonance Spectra of Some Celluloses, 969
Porter, R. S.: see Sakamoto, K.
Priel, Z. and Silberberg, A.: Conformation of Poly(methacrylic Acid) in Alcohol-Water Mixtures. I. Effect of Concentration, Temperature, pH, and Ionic Strength, 689
—: and Silberberg, A.: Conformation of Poly(methacrylic Acid) in Alcohol-Water Mixtures. II. Methanol, Ethanol, n-Propanol, and 1,2-Ethanediol, 705
—: and Silberberg, A.: Conformation of Poly(Methacrylic Acid) in Alcohol-Water Mixtures. III. Dependence on Molecular Weight, 713
Pyun, C. W.: Comonomer and Stereosequence Distributions in High Polymers, 1111
Radushkevich, B. V.: see Vinogradov, G. V.
Rijke, A. M. and Mandelkern, L.: Melting Behavior of Linear Polyethylene Crystallized by Solution Stirring, 225
Rochow, E. G.: see Model, F. S.
Roe, R.-J.: Methods of Description of Orientation in Polymers, 1187
Roussis, P. P.: see Petropoulos, J. H.
Rumon, K.: see Berry, G.
Ruysschaert, J. M.: see Jaffé, J.
Saito, M.: see Fujiki, T.
Sakamoto, K., MacKnight, W. J., and Porter, R. S.: Dynamic and Steady-Shear Melt Rheology of an Ethylene-Methacrylic Acid Copolymer and Its Salts, 277
Sasaki, K.: see Kanetsuna, H.
Sasaki, T.: see Seimiya, T.
Sato, T.: see Fukui, Y.
—: see Onogi, S.
Schimscheimer, J. F.: see Pasternak, R. A.
Sawaoka, A.: see Hasegawa, R.
Scholte, Th. G.: Determination of Thermodynamic Parameters of Polymer-Solvent Systems from Sedimentation-Diffusion Equilibrium in the Ultracentrifuge, 841
Schrag, J. L.: see Wong, C.-P.
Schultz, J. M.: see Kavesh, S.
Schulz, G. V.: see Casper, R. H.
Seimiya, T., Yamamoto, H., and Sasaki, T.: Effect of Bending and Stretching of Polyethylene Strips on the Adsorption of Surface-Active Substances, 595
Sharples, A.: see Binks, A. E.
Shibayama, K.: see Miyamoto, T.
Shimada, S., Kashiwabara, H., and Sohma, J.: ESR Studies of the Photodegradation of Polyethylene Containing Trapped Allylic Free Radicals, 1291
Shultz, A. R.: Unperturbed Dimensions of Poly(2-methyl-6-phenyl-1,4-phenylene Oxide) and Poly(2,6-diphenyl-1,4-Phenylene Oxide) Chains, 883
—: see Koningsveld, R.
Silberberg, A. and Mijnlieff, P. F.: Study of Reversible Gelation of Partially Neutralized Poly(methacrylic Acid) by Viscoelastic Measurements, 1089
—: see Priel, Z.
Smith, K. A.: see Cottrell, F. R.
Smith, R. P.: Equation of State and the Thermodynamic Properties of Liquid Polymers: Application of the Hirai-Eyring Model, 1337
Smith, W. V.: Precipitation Chromatography Theory, 207
Sohma, J.: see Shimada, S.
Stein, R. S. and Chu, W.: Scattering of Light by Disordered Spherulites, 1137
—: and Picot, C.: Small-Angle Light Scattering by Random Assemblies of Incomplete Spherulites. II. Truncated Spherulites, 2127
—: see Chu, W.
—: see Hashimoto, T.
—: see Picot, C.
Stewart, C. W.: Nucleation and Growth of Bubbles in Elastomers, 937

Tadokoro, H.: see Hasegawa, R.
Takashita, S.: see Date, M.
Takserman-Krozer, R. and Ziabicki, A.: General Dynamic Theory of Macromolecular Networks. II. Dynamics of Network Deformation, 321
Tanabe, Y.: see Hasegawa, R.
Tanner, R. I.: A Theory of Die-Swell, 2067
Theil, M. H. and Mandelkern, L.: Fusion of Homopolymers and Ordered Copolymers Containing Ethylene Sebacate Structural Units, 957
Thies, C.: see Huber, H. F.
Tonelli, A. E.: A Molecular Approach to Chain Entanglement in Linear Polymers, 625
Tordella, J. P. and Dunion, P. F.: Isomorphic Interactions of Ethylenic Polymers and Paraffin Wax, 81
Tripp, V. W.: see Pittman, R. A.
Udagawa, Y.: see Keller, A.
—: see Williams, T.
Uemura, M.: see Fujiki, T.
Ushirokawa, M.: see Fukui, Y.
Vermuelen, L. A. and Wintle, H. J.: Infrared Photoelectric Effects in Polyethylene, 2187
Vinogradov, G. V., Fikhman, V. D., Radushkevich, B. V., and Malkin, A. Ya.: Viscoelastic and Relaxation Properties of a Polystyrene Melt in Axial Extension, 657
—, Malkin, A. Ya., and Kulichikhin, V. G.: Microstructure and Rheological Properties of Polybutadienes, 333
—, Radushkevich, B. V., and Fikhman, V. D.: Extension of Elastic Liquids: Polyisobutylene, 1
—, Yanovsky, Yu., and Isayev, A. I.: Viscoelastic Behavior of an Amorphous Polymer under Oscillations of Large Amplitude, 1239
Volkenstein, M. V.: see Birshtein, T. M.
Walters, J. L.: Determination of the Width of a Narrow Molecular Weight Distribution by Gel-Permeation Chromatography, 411
Ward, I. M.: see Williams, T.
Weinreb, A.: see Ofran, M.
Weiss, A. R. and Cohn-Ginsberg, E.: Calibration of Gel-Permeation Columns with Unfractionated Polymers, 148
Weiss, G.: see Dishon, M.
Wiff, D.: see Gehatia, M.
Williams, D. G.: Interpretation of the Diffraction Patterns of Cellodextrins, 637
Williams, J. G. and Delatycki, O.: Transitions of the Hydrogen Bond in Epoxy-Diamine Networks, 295
Williams, T., Udagawa, Y., Keller, A., and Ward, I. M.: Determination of the Molecular Weight Spread of Narrow Peaks in the Gel-Permeation Chromatograms of Nitric Acid-Degraded Polyethylene, 34
Wintle, H. J.: see Vermuelen, L. A.
Wong, C.-P., Schrag, J. L., and Ferry, J. D.: Diffusion of Radioactively Tagged 1,1-Diphenylethane and *n*-Hexadecane through Rubbery Polymers: Dependence on Temperature and Dilution with Solvent, 991
Woodbrey, J. C.: see Kurz, J. E.
Wu, T. K.: NMR Studies on Microstructure of Ethylene Copolymers. II. Sequence Distribution in Ethylene-Vinyl Acetate Copolymers, 167
Yano, S.: Dielectric Relaxation and Molecular Motion in Poly(vinylidene Fluoride), 1057
Yanovsky, Yu.: see Vinogradov, G. V.
Yamamoto, H.: see Seimiya, T.
Yamasaki, H.: see Nakata, M.
Yoshimoto, S.: see Kimura, A.
Yphantis, D.: see Dishon, M.
Ziabicki, A.: see Takserman-Krozer, R.
Zubkov, V. A.: see Birshtein, T. M.

SUBJECT INDEX, VOLUME 8

Acrylamide-*N*-isopropylacrylamide copolymers, swelling in water, 1617
Adsorption of toluene-soluble polymers at toluene-water interface, 71
Adsorption, numerical methods for prediction of, 1847
Annealing, effect of, on melting behavior of low-density polyethylene, 311
Birefringence: effect of, on light scattering from deformed spherulitic polymer films, 499
effect of, on light scattering from oriented polymers, 1937
effect of, on low-angle light scattering from polymer films, 489
of high-density polyethylene, 1195
of stretched polypropylene film, 1565
Butatriene, spectroscopic and thermochemical data, 679
Carbon suboxide, spectroscopic and thermochemical data, 679
Carboxymethyl cellulose, titration of, 1841
Cellodextrins, x-ray diffraction of, 637
Cellulose, NMR spectra of, 969
Cellulose, conformation of chains, 2033
Cellulose triacetate, single crystals in thin films, 47
Chain dimensions in solution, theory of branched and linear, 1651
Chain entanglement and loops in linear polymers, 625
Chromatography: see also gel permeation chromatography and phase-distribution chromatography
Conductivity, DC: in polyamides, 739
in poly-2,5-distyrylpyrazine, 1027
in polymers with high dielectric constants, 1741
in polypropiolamide, 1159
Conformation: of cellulosic chains, 2033
of linear aliphatic polyesters and effect on entropy of fusion, 1395
of poly(methacrylic acid) in alcohol-water, 689, 713, 705
of poly(methacrylic acid) in water, 1679
of polymorphous optically active macromolecules, 177
Copolymer composition: comonomer and stereosequence distribution, 1111
Cracks, nucleation and propagation in polystyrene, 1521
Crosslinked polymers:
amine-cured epoxy, structure of, 417
amine-cured epoxy, dynamic mechanical properties of, 437
dynamic theory of networks in, 321
epoxy-diamine networks, hydrogen bonds in, 295
ethylene-propylene copolymer, thermodynamics of deformation of, 1879
internal motion in dimethylpolysilazanes, 999
molecular motion in uncured epoxy resin, 2203
natural rubber vulcanizates, deformation of, 903
swollen polyurethane rubbers, properties of, 605
topologically interpenetrating elastomeric networks, 921
torsion pendulum monitor of fatigue in epoxy castings, 1997
Crystal modifications of nylon 3, 1703
Crystallinity, degree of, in polyethylene, 243, 1211, 2079
Crystallinity: of bulk polyethylene, theory of, 1773 of poly(*N*-vinylcarbazole), 643
Crystallite orientation-distribution function from measurements of fluorescence polarization and NMR, 1187
Crystallization: epitaxial, in polyethylene and polyoxymethylene, 1467
film formation method for single crystals, 47
kinetics in polyethylene solutions, 869
of isotactic polystyrene from solution, 1687
of polypropylene surfaces, 1545
of selenium, polymeric nature of, 1755, 2153
self-seeded, in relation to molecular weight distribution, 1443, 1457

of *trans*-1,4-polyisoprene, 1697, 2185
under high pressure conditions, 1073
Cyclopentadiene, spectroscopic and thermochemical data, 679
Cyclopropene, spectroscopic and thermochemical data, 679
Deformation: and fracture of polystyrene, 1521
high-elastic, effect of *cis-trans* content of polybutadienes on, 333
of crosslinked ethylene-propylene copolymer, 1879
of elastic liquids (polyisobutylene), 1
of natural rubber, mechanical properties in, 903
of networks, dynamics of, 321
of polyethylene, 1723
of polypropylene in biaxial stretching, 1565
of polystyrene melts in axial extension, 657
theory of die-swell in extrusion, 2067
Degradation: of nylon 6 by irradiation, 401
of polyethylene by acid, 19
of substituted polysiloxanes by heat, 1823
Deuterium, gaseous diffusion in polymer films, 2015
Dielectric absorption: in poly(vinylidene fluoride), 1177
in polyoxymethylene, 1585
Dielectric properties: hyperelectronic polarization and conductivity of EKA-conjugated polymers, 1741
of poly-2,5-distyrylpyrazine, 1027
of poly(γ-methyl L-glutamate), 61
Dielectric relaxation: in ethylene-methacrylic acid copolymers and their salts, 727
in poly(vinylidene fluoride), 1057
Die-swell, elastic fluid theory of, 2067
Differential thermal analysis of poly-3-methylbutene-1, 1971
Diffusion: filling of polyethylene by, 2177
of ethane in polyethylene, 1987
of gases in glassy polymers, 1797
of gases in polymer films, dynamic measurement of, 467
of gases in polymer films, isotope effect in, 2015
of radioactively tagged penetrants through rubbery polymers, 991
mutual, of polymer pairs, 1415
Diketene, spectroscopic and thermochemical data, 679
Dilatometry: of melting of linear polyethylene crystals, 225
of poly-3-methylbutene-1, 1971
Dimethylpolysilazanes crosslinked through silicon, NMR study of, 999
Distribution function for orientation of structural units in bulk polymers, 383
Distribution function for particle size in latex, determination from angular scattering intensity, 1425
Drawn single-crystal mats, polyethylene, properties and structure of, 355
Dynamic mechanical properties: and fatigue in epoxy resins, 1997
of amine-cured epoxy polymers, 437
of blends of paraffin wax and ethylene-vinylacetate copolymers, 81
of branched polyethylene melts, 455
of fiber reinforced epoxy beams, 1575
of poly(arylene sulfones), 1169
of polyethylene, 1211
of poly-3-methylbutene-1 fibers, 1971
of poly(vinylidene fluoride), 1177
of styrene-n-hexyl methacrylate copolymers, 1927
superposition of, in the glassy state, 1627
Dynamic shear behavior of melts: of polyethylene, 105, 127
of polyethylene-polymethacrylic acid copolymer and salts, 277
Electron diffraction of single crystals in films, 47
Electron microscopy: of chemically filled polyethylene, 2177
of crystalline isotactic polystyrene, 1687
of crystalline linear polyethylene, 225
of epitaxial crystal growth in polyethylene and polyoxyethylene, 1467
of poly-3-methylbutene-1, 1971
of polystyrene films, 161
of selenium crystallization, 1755, 2153
of self-seeded polyethylene crystals, 1443
of stressed polyethylene, 595
of styrene-butadiene-styrene block copolymer, 2095
of surface crystallization of polypropylene, 1545
Electron paramagnetic resonance of polyselenacyclobutane and monomer, 1279

Electron spin resonance: of gamma-irradiated potassium polyphosphate, 447
of irradiated nylon 6, 401
of irradiated polyethylene, 1291
of polypropiolamide, 1159
of self-seeded crystals of polyethylene, 1443
Epitaxial crystals of polyethylene and polyoxyethylene, 1467
Epitaxy in polyethylene-paraffin wax blends, 81
Epoxy beams, fiber reinforced, Young's modulus in, 1575
Epoxy-diamine networks, hydrogen bonds in, 295
Epoxy polymer, amine-cured: dynamic mechanical properties, 437
structure, 417
Epoxy resins: dynamic mechanical properties in glassy state, 1627
NMR studies, 2203
Ethyl cellulose, adsorption at toluene-water interface, 71
Ethyleneimine, spectroscopic and thermochemical data, 679
Ethylene-methacrylic acid copolymers and salts, dielectric relaxation in, 727
Ethylene-propylene copolymer, thermodynamics of deformation of, 1879
Ethylene-vinylacetate copolymer: dynamic viscoelastic behavior of, 153
interactions with paraffin wax, 81
microstructure from NMR, 167
Fatigue, torsional, method for monitoring, 1997
Fiber structure of poly-3-methylbutene-1, 1971
Filled polymers: cleavage of chemically filled polyethylene, 2177
fiber-reinforced epoxy beams, effect of temperature on elastic properties, of, 1575
thermal expansion, free volume and molecular mobility in, 571
Fluorescence and structural changes in polystyrene films, 161
Fluorescence polarization: application to analysis of orientation, 1187
in poly(ethylene terephthalate) fibers, 1323
Fractionation: of polystyrene by phase distribution chromatography, 833
of styrene-acrylonitrile copolymers, 807
Fracture surface morphology, 583, 1521
Frequency response technique for measurement of vapor diffusion and solubility in polymers, 1987
Gelation, reversible, of poly(methacrylic acid), 1089
Gel permeation chromatography: calibration with polystyrene and polydimethylsiloxane, 1803
calibration with unfractionated polymers, 148
coupled with automatic viscometry, 1227
determination of width of narrow molecular weight distribution by, 411
determination of polymer branching, 1361, 1373
mathematical theory of, 207
of acid-degraded polyethylene, 35
of polyethylene, 105, 127, 1373
universal calibration theory in, 89
Glass transition temperature: calculation of, for homopolymers and copolymers with alkyl side chains, 555
of butadiene-styrene copolymer filled with carbon black, 571
of poly(arylene sulfones), 1169
of polybutadienes, effect of cis-trans content on, 333
Hirai-Eyring model for liquid state, application to polymers, 1337
Hydrogen bonding in poly(methacrylic acid): effect of molecular weight on, 713
in aliphatic alcohols and water, 689, 705
Hydrogen bonds: in epoxy-diamine networks, 295
in ethylene-methacrylic acid copolymers and salts, 727
Hydrogen, gaseous diffusion in polymers, 2015
Infrared dichroism: of polyethylene, 1211
of polymers crystallized under high pressure, 1073
Infrared photoelectric effects, in polyethylene 2187
Infrared spectra: of degradation products of polyethylene, 19

of epoxy-diamine networks, 295
of polymorphic forms of nylon 3, 1703
of polyoxymethylene, 1585
of polyselenacyclobutane and monomer, 1279
of pressure-crystallized polypropylene and poly(vinylidene fluoride), 1073
Interfacial tension of toluene-water, effect of polymer adsorption on, 71
Interphase layer, thickness in binary polymer mixtures, 1415
Intrinsic viscosity: of branched polymer, 1361, 1373
of poly(2,6-diphenyl-1,4-phenylene oxide), 883
of polyethylene, 1373
of polyisobutylene, 289
of poly(methacrylic acid) in alcohol-water, 689, 705, 713
of poly(2-methyl-6 phenyl-1,4-phenylene oxide), 883
of polymethylphenylsiloxamers, 541
of poly(vinyl acetate), 1227
of poly(vinyl chloride), 1227
Irradiation, gamma, of potassium polyphosphate, 447
Irradiation, ultraviolet: of nylon 6, 401
of polyethylene, 1291
Isotope effect in diffusion of gases in polymer films, 2015
Kinetics: of crystallization of isotactic polystyrene from solution, 1687
of crystallization of polyethylene from dilute solution, 869
of crystallization of *trans*-1,4-polyisoprene, 2185
of crystallization of selenium, 2153
of formation of diactive polymers, 1235
of formation of polyselenacyclobutane, 1279
of nucleation and bubble growth in elastomers, 937
of polymerization, derivation of molecular weights from, 2105
of spherulite growth in selenium crystallization, 1755
of thermal degradation of substituted polysiloxanes, 1823
Light scattering:
by spherulites, 489, 1137, 2115, 2127
corrections in measurement of, 513
definition and usage of scattered light components, 2029
effect of birefringence on, 1937
effect of interference on, 1955
effect of optical rotation on, 1491
in films with nonrandom orientation fluctuations, 1127
in oriented polymer films, 1503
in stretched polymers, 1015
size distribution analysis from angular, 1425
Light scattering in solutions:
of poly(2-methyl-6-phenyl-1,4-phenylene oxide) and poly(2,6-diphenyl-1,4-phenylene oxide), 88
of polymethylphenylsiloxamer, 541
of pyrrone prepolymers, 2089
Light scattering photometer for use at elevated pressures, 1885
Liquid-liquid interfaces, adsorption of polymers at, 71
Liquid polymers, thermodynamic properties and equation of state, 1337
Maleic anhydride, spectroscopic and thermochemical data, 679
Mechanical properties: of interpenetrating elastomeric networks, 921
of natural rubber vulcanizates, 903
of swollen polyurethane rubbers, 605
Melting: of drawn polyethylene single-crystal mats, 1865
of polyethylene, crystallinity and, 1211
of polyethylene linear crystals, 225
of poly(ethylene terephthalate), thermal history and, 2141
Melting temperature:
of poly(ethylene adipate), poly(ethylene suberate), and poly(ethylene sebacate), 1387
of poly(ethylene sebacate) and ordered poly(ethylene sebacate)-poly(propylene adipate) copolymers, 957
thermodynamic, of *trans*-polychloroprene, 1011
Melting transitions: in isotactic polystyrene, 649
in partially isotactic poly(propylene oxide), 519
Metal-doped polymers, dielectric properties of, 1741
Metallo-organic polymer dielectric properties of, 1741
Molecular dimensions of chains of poly(2-methyl-6-phenyl-1,4-phenylene oxide) and poly(2,6-diphenyl-1,4-phenylene oxide), 883

Molecular motion:
of chain branches in ethylene polymers, 153
in ethylene-methacrylic acid copolymers and salts, 727
in linear polyethylene, 771
in organosilicon polymers, 999
in oriented paraffin n-$C_{32}H_{66}$, 791
in polydimethylsiloxane, 2051
in poly(vinylidene fluoride), 1057, 1177
in uncured epoxy resin, 2203
Molecular structure:
comonomer and stereosequence distribution in linear polymers, 1111
effect on polyethylene melt rheology, 105, 127
of crystalline polyethylene and acid degradation products, 19, 35
of ethylene-vinyl acetate copolymer, 167
of linear polymers, chain entanglement in, 625
of poly-2,5-distyrylpyrazine, 1027
of poly(methacrylic acid) in gels, 1089
of polyselenacyclobutane, 1279
of poly(vinylidene fluoride), dielectric properties and, 1057
of pressure-crystallized polymers, 1073
of styrene-butadiene-styrene block copolymer, 2095
Molecular weight: calibration for GPC, 1803
changes in, during polymerization, 2105
effect on crystallization rates, 2185
of irradiated polyethylene, 1291
of polyethylene, 105, 127
of polymethylphenylsiloxamers, 541
of polyselenacyclobutane, 1279
of poly(vinyl acetate), 1227
of poly(vinyl chloride), 1227
Molecular weight distribution:
and self-seeded crystallization, 1443, 1457
and viscoelastic properties of "entangled" polymers, 1897
from coupled GPC and automatic viscometry, 1227
from sedimentation-diffusion equilibrium, 1039, 2039
in diactive polymers, 1235
in products of acid degradation of polyethylene, 35
in styrene-acrylonitrile copolymers, 807
width of narrow, by GPC, 411
Monomers, thermodynamic properties in the ideal state, 679
Morphology:
crystallite orientation in polyethylene, 1211
interphase layer thickness in binary microheterogeneous mixtures, 1415
of blends of paraffin wax and ethylene-vinyl acetate copolymers, 81
of bulk polyethylene, effect of branching on, 1773
of crystallized thin films, 47
of drawn polyethylene single-crystal mats, 355, 1865
of polyethylene from acid degradation studies, 19, 35
of polyethylene in plastic deformation, 1723
of poly(ethylene terephthalate) fibers by fluorescence polarization, 1323
of poly(ethylene terephthalate), thermal history and, 2141
of poly-3-methylbutene-1 fibers, 1971
of poly(γ-methyl L-glutamate) from piezoelectric moduli, 61
of pressure-crystallized polymers, 1073
of selenium crystals, polymeric nature of, 1755, 2153
of self-seeded and epitaxial crystals of polyethylene and polyoxyethylene, 1467
of self-seeded crystals of polyethylene, 1443
of semicrystalline polymers, effect of stretching on, 1015
of stretched polybutene-1 spherulites, 1661
of surface crystallization of polypropylene, 1545
orientational distribution of structural units in anisotropic bulk polymers, 1187, 1303
Networks: amine-cured epoxy, structure of, 417
amine-cured epoxy, dynamic mechanical properties of, 437
dynamic theory of, 321
epoxy-diamine, hydrogen bonds in, 295
structure of, in plasticized polyurethane rubbers, 605
topologically interpenetrating elastomeric, 921

Nuclear magnetic resonance:
application to analysis of orientation, 1187
in cellulose, 969
in dimethylpolysilazanes crosslinked through silicon, 999
in ethylene-vinyl acetate copolymer, 153, 167
in oriented paraffin n-$C_{32}H_{66}$, 791
in oriented mats of polyethylene single crystals, 771
in polydimethylsiloxane, 2051
in polyethylene, 1211
in poly-3-methylbutene-1, 1971
in poly(methyl methacrylate) prepared within a monolayer, 1599
in poly(vinylidene fluoride), 1177
in uncured epoxy resin, 2203
spin lattice relaxation in linear polystyrene, 191
theory of molecular motion in long-chain alkanes, 753
Nonadecan-10-one, $(n\text{-}C_9H_{18})_2CO$, x-ray crystallographic constants, 1413
Nylon 3, polymorphic forms, 1703
Nylon 6, electron spin resonance of irradiated, 401
Optical anisotropy: and conformation of polymorphous macromolecules, 177
of *trans*-1,4-polyisoprene, 1697
of single crystals in thin films, 47
Optical microscopy: of bubbles in elastomers, 937
of cracks in polystyrene, 1521
of growth of spherulites in *trans*-1,4-polyisoprene, 747
of polystyrene fracture surfaces, 583
of selenium crystallization, 1755, 2153
of surface crystallization of polypropylene, 1545
Optical rotation, effect of, on low-angle light scattering, 1491
Optical rotation of stereoregular vinyl polymers, 1639
Paraffin, molecular motion in oriented (n-$C_{32}H_{66}$), 791
Paraffin wax, interactions with ethylene-vinyl acetate copolymers, 81
Permeation of polymer films by gases, dynamic method for measuring, 467
Permeation, solubility coefficient of penetrant in, 1411
Phase-distribution chromatography of polystyrene, 833
Phase separation, liquid-liquid, in multicomponent polymer solutions, 1261
Photoconductivity in polymer films, 529
Piezoelectric moduli, temperature variation of, in poly(γ-methyl L-glutamate), 61
Polyacrylonitrile, single crystals in thin films, 47
Poly(arylene sulfones), dynamic mechanical properties, 1169
Polybutadienes: cis-trans content and rheological properties of, 333
melt viscosity of branched, 305
Polybutene-1: local deformation in, 1661
single crystals in thin films of, 47
Polychloroprene: light scattering in, 1015
thermodynamic melting temperature of *trans*-, 1011
Polydimethylsiloxane: calibration of GPC, 1803
diffusion of gaseous isotopes in, 2015
molecular weight distribution and viscoelastic properties, 1897, 1909
nuclear magnetic resonance in, 2051
Poly(2,6-diphenyl-1,4-phenylene oxide), chain dimensions of, 883
Poly-2,5-distyrylpyrazine, structure and properties of, 1027
Polyelectrolytes:
dynamic shear behavior of polyethylene-polymethacrylic acid and salts, 277
effect of molecular weight on conformation of poly(methacrylic acid) in ethanol-water, 713
effect of pressure on dissociation of poly(methacrylic acid), 1679
effects of concentration, temperature, pH, and ionic strength on conformation of poly(methacrylic acid) in alcohol-water, 689, 705
reversible gelation of poly(methacrylic acid), 1089
surface potentials of monolayers of poly(methacrylic acid), 817
titration curve of weak polyacids, 1841
Polyester-styrene copolymer, mechanical and optical properties of, 1713
Polyesters, linear aliphatic, heats and entropies of fusion of, 1387, 1395
Polyethylene: acid degradation of, 19, 35
adsorption of surface-active agents on stressed, 595
branching and crystallinity of, 1773

branching in, determination with GPC, 1373
calibration for GPC, 89
cleavage by chemical filling of, 2177
crystallinity and structure, 243, 1211
diffusion and permeation of gases through, 467
dilatometry during fusion of linear, 225
drawn single-crystal mats, structure and properties of, 355
dynamic birefringence in, 1195
effect of annealing on, 311
effect of molecular structure on melt rheology of, 105, 127
epitaxial crystallization in, 1467
ESR studies of irradiated, 1291
infrared dichroism in, 1211
infrared photoelectric effects in, 2187
kinetics of crystallization from dilute solution, 869
light scattering in deformed spherulitic films of, 499
light scattering in stretched, 1015
melting behavior of crystalline linear, 225
melting of drawn single-crystal mats of, 1865
molecular motion in linear, 771
mutual diffusion with polypropylene and poly(vinyl chloride), 1415
nuclear magnetic resonance in, 771, 1211
self-seeded crystallization and molecular weight distribution of, 1443, 1457
single crystals in thin films of, 47
solubility and diffusion coefficient of ethane in, 1987
strain-optical coefficient in, 1195, 1211
stress relaxation in, 1195, 1211
thermoluminescence, 143
viscoelastic properties of melts of branched, 455, 1917
x-ray diffraction of, 1211, 2079
Poly(ethylene adipate), melting temperature, heat and entropy of fusion of, 1387, 1395
Poly(ethylene glycols), Raman spectra of, 1787
Poly(ethylene oxide), Raman spectra of, 1787
Polyethylene-poly(methacrylic acid) copolymer and salts, dynamic shear behavior of, 277
Poly(ethylene sebacate): melting temperatures of, 957, 1387
heat and entropy of fusion of, 1387, 1395
Poly(ethylene sebacate)-poly-(propylene adipate) copolymers, melting temperatures of, 957
Poly(ethylene suberate), melting behavior, heat and entropy of fusion of, 1387, 1395
Poly(ethylene terephthalate) melting behavior of, 2141
fluorescence polarization in fibers of, 1323
Poly(ethylene-*co*-vinyl acetate), adsorption at toluene-water interface, 71
Poly(ethyl methacrylate), diffusion of gaseous isotopes in, 2015
Polyisobutene, viscoelastic behavior under forced oscillations, 1239
Polyisobutylene: deformation during extension of, 1
intrinsic viscosity of, 289
Poly-*cis*-isoprene, diffusion of gaseous isotopes in, 2015
trans-1,4-Polyisoprene: crystallization rates of, 2185
growth rate of spherulites in, 747
transcrystallinity and x-ray diffraction of, 1697
Poly(methacrylic acid):
effect of concentration, temperature, pH and ionic strength on conformation of, in alcohol-water, 689, 705
effect of molecular weight on conformation of, in ethanol-water, 713
effect of pressure on dissociation of, 1679
surface potentials and orientation in monolayers of, 817
viscoelasticity in reversible gelation of, 1089
Poly-3-methylbutene-1, structure and properties of, 1971
Poly(γ-methyl L-glutamate), piezoelectric moduli in, effect of temperature on, 61
Poly(methyl methacrylate), adsorption at toluene-water interface, 71
Poly(4-methylpentene-1), structure of pressure-crystallized, 1073
Poly(2-methyl-6-phenyl-1,4-phenylene oxide), chain dimensions of, 883
Polymethylphenylsiloxamers, dilute solution parameters, 541
Poly(α-methylstyrene), in calibration for GPC, 89
Poly-α-olefins, optical rotation of, 1639

Polyoxyethylene, self-seeded and epitaxial crystallization in, 1467
Polyoxymethylene, dielectric absorption in, 1585
Polypropiolamide, electron spin resonance, 1159
Polypropylene: in calibration for GPC, 89
refractive indices and birefringence of biaxially stretched films of, 1565
single crystals in thin films of, 47
structure of pressure-crystallized, 1073
surface crystallization of, 1545
Poly(propylene oxide), melting transitions in, 519
Poly(sebacyl piperazine), DC conductivity in, 739
Polyselenacyclobutane, spectroscopic study of formation and structure of, 1279
Polysiloxanes, thermal degradation of substituted, 1823
Polystyrene: adsorption at toluene-water interface, 71
critical miscibility in cyclohexane, 1261
crystallization from solution, 1687
deformation and fracture of, 1521
fluorescence spectra and structural changes in, 161
fracture surface morphology, 583
in calibration of GPC, 89, 1803
melting transitions in isotactic, 649
molecular weight distribution and viscoelastic properties, 1897
normal and shear stresses under oscillatory shear flow, 371
nuclear relaxation in atactic linear, 191
phase-distribution chromatography of, 833
thermodynamic parameters from ultracentrifuge equilibrium analysis of, 841
thermodynamic properties at high pressures, 1885
viscoelastic and relaxation properties of melt in axial extension, 657
Polyurethane, diffusion of gaseous isotopes in, 2015
Poly(vinyl acetate). characterization by coupled GPC and automatic viscometry, 1227
Poly(*N*-vinylcarbazole), crystallinity of, 643
Poly(vinyl chloride): characterization by coupled GPC and automatic viscometry, 1227
stress relaxation in melts of, 979
yield stress behavior of, 893
Polyvinylcyclohexane, viscoelastic behavior of, 799
Poly(vinyl ethers), optical rotation of, 1639
Poly(vinylidene fluoride): dielectric absorption in, 1177
dielectric relaxation and molecular motion in, 1057
structure of pressure-crystallized, 1073
Potassium polyphosphate, electron spin resonance in gamma-irradiated crystalline, 447
β-Propiolactone, spectroscopic and thermochemical data, 679
Pyrrone prepolymers, light scattering and sedimentation, 2089
Quinazone polymer, hyperelectronic polarization in, 1741
Raman spectra: of poly(ethylene glycols), 1787
of poly(ethylene oxide), 1787
of polyselenacyclobutane and monomer, 1279
Refractive index increments and partial specific volumes, 1837
Refractive indices in stretched polypropylene film, 1565
Rubber, natural: mechanical properties in deformation of, 903
trans-1,4-polyisoprene from, 1697, 2185
Rubber, polychloroprene: light scattering in, 1015
thermodynamic melting temperature of *trans*-, 1011
Rubber, polyurethane, swelling of plasticized amorphous, 605
Rubber, styrene-butadiene latex and polystyrene latex, size distribution from angular scattering, 1425
Rubbery polymers, diffusion of radioactively tagged molecules in, 991
Second virial coefficient, 541, 841, 1885
Sedimentation coefficients of pyrrone prepolymers, 2089
Sedimentation-diffusion equilibrium: and thermodynamic parameters, 841
molecular weight distributions from, 1039, 2039
Sedimentation velocity, effect of hydrostatic pressure on, 2163
Selenacyclobutane, electron paramagnetic resonance, infrared and Raman spectra of, 1279

Selenium, polymeric nature of crystallization of, 1755, 2153
Shear flow, oscillatory, effect on normal and shear stresses, 371
Shear viscosity: of polyethylene, 105, 127
of polyisobutylene, 289
Solubility of ethane in polyethylene, 1987
Spectroscopic data on monomers, 679
Spherulites:
crystal orientation and local deformation in polybutene-1, 1661
in crystallization of selenium, 1755, 2153
in films, scattering of light by, 1127, 1137, 2115, 2127
in polyethylene and polychloroprene, small angle scattering from, 1015
in *trans*-1,4-polyisoprene, growth rates of, 747
in polystyrene, effect of optical rotation on light scattering of, 1491
in surface crystallization of polypropylene, 1545
interference with scattering of light by, 1955
transformation in drawing of polyethylene, 1723
Strain-birefringence in polyester-styrene copolymer, 1713
Strain-hardening in epoxy resins, 1997
Strain-optical coefficient in polyethylene, 1195, 1211
Strain rate, effect of, on deformation and fracture of polystyrene, 1521
Stress-cracking of polyethylene, effect of adsorption of surface-active agents on, 595
Stress, equilibrium, in deformation of ethylene-propylene copolymer, 1879
Stress relaxation: in high-density polyethylene, 1195, 1211
in poly(vinyl chloride) melts, 979
Stress-strain relations:
in anelastic polyester-styrene copolymer, 1713
in elastic liquid during extension (polyisobutylene), 1
in interpenetrating elastomeric networks, 921
in polystyrene melt, 657
in poly(vinyl chloride), 893
in viscoelastic liquid under oscillatory shear flow, 371
Styrene-acrylonitrile copolymers, molecular weight distribution in, 807
Styrene-butadiene-styrene block copolymer, structure and properties of, 2095
Styrene-n-hexyl methacrylate copolymers, dynamic mechanical properties of, 1927
Surface potentials and ionization of poly(methacrylic acid) in monolayers, 817
Swelling: of interpenetrating networks, 921
of plasticized amorphous polyurethane rubbers, 605
of thin films of acrylamide-*N*-isopropylacrylamide copolymers in water, 1617
Tacticity of poly(methyl methacrylate) polymerized in monolayers, 1599
Temperature dependence of crystallization rates of *trans*-1,4-polyisoprene, 2197
Tetraoxymethylene, radiation induced polymerization of, 1585
Thermal behavior: of annealed low-density polyethylene, 311
of poly-2,5-distyrylpyrazine, 1027
of styrene-butadiene-styrene block copolymer, 2095
Thermal expansion of filled elastomer, 571
Thermodynamic parameters: from ultracentrifuge equilibrium analysis, 841
in selenium crystallization, 1755
Thermodynamic properties:
in diffusion of isotopic gases in polymers, 2013
of linear aliphatic polyesters, 1387
of liquid polymers, 1337
of monomers in the ideal state, 679
of polystyrene from light scattering at high pressures, 1885
Thermodynamics, statistical:
of deformation of crosslinked ethylene-propylene copolymer, 1879
of depolymerization of polysiloxanes, 1823
of polymer chains in solution, 1651
Thermoluminescence in hydrocarbon polymers, 143
Transcrystallinity in *trans*-1,4-polyisoprene, 1697
Ultraviolet absorption spectra of irradiated polyethylene, 1291

Vinylene carbonate, spectroscopic and thermochemical data, 679
Vinyl fluoride, spectroscopic and thermochemical data, 679
Viscoelastic behavior under applied oscillations, 1239
Viscoelastic properties:
of blends of "entangled" polymers, 1897
of branched polyethylene melts, 455
of ethylene-vinyl acetate copolymer, 153
of polybutadienes, 333
of poly-2,5-distyrylpyrazine, 1027
of polyethylene melts, 1917
of polyisobutylene, 1
of poly(methacrylic acid) gels, 1089
of poly(γ-methyl L-glutamate), 61
of polystyrene melt in axial extension, 657
of polyvinylcyclohexane, 799
of styrene-butadiene-styrene block copolymer, 2095
theory of die-swell in extrusion, 2067
Viscometry, automatic, coupled with GPC, 1227
Viscosity: of branched polybutadiene melts, effect of diluents on, 305
of polybutadienes, effect of *cis-trans* content on, 333
of polydimethylsiloxane, 1909, 2051
of polyethylene melts, 105, 127
X-ray diffraction: of blends of paraffin wax and ethylene-vinyl acetate copolymer, 81
of cellodextrins, 637
of crystalline polyethylene, 243
of degradation products of polyethylene, 19
of drawn single-crystal mats of polyethylene, 355
of nonadecan-10-one (n-$C_9H_{18})_2CO$, 1413
of polybutene-1 spherulites, 1661
of poly-2,5-distyrylpyrazine, 1027
of polyethylene, 1211, 1723, 2079
of *trans*-1,4-polyisoprene, 1697
of poly-3-methylbutene-1, 1971
of polymorphic forms of nylon 3, 1703
of polyoxymethylene, 1585
of poly(*N*-vinylcarbazole), 643
of pressure-crystallized polymers, 1073
of stretched polypropylene film, 1565
of tetraoxymethylene, 1585
Yield stress behavior: of polyester-styrene copolymer, 1713
of poly(vinyl chloride), 893
Young's modulus in fiber reinforced epoxy beams, 1575